NIGHTLUX WT

NIGHTLUX | LED nightlights

- Indoor and outdoor
- Dark corners
- Steep staircases

Product benefits

- Easy to install with screws, magnets or adhesive strip

Product features

- Dustproof and splashproof
- Swivels up and down through an angle of 60°

© 2013, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal wattage	0.30 W
Operating mode	Battery

Light technical data

Beam angle	120 °
Luminous flux	30 lm
Light color as per EN 12464-1	White

Dimensions & weight

Length	86.0 mm
Width	69.0 mm
Height	28.0 mm

© 2013, OSRAM GmbH. All rights reserved.



Product line drawing

Colors & materials

Body material	Plastic
Product color	White
Cover material	Plastic
Reflector material	Metallized plastic

Temperatures

Ambient temperature range	...+25 °C

Additional product data

Number of lighting outlets	3
Equipment	LED
Equipped with lamp	Yes

© 2013, OSRAM GmbH. All rights reserved.

Capabilities

Type of installation	Mounting
Adjustable	Yes
Dimmable	No
Type of sensor	Day/Night
With on/off switch	Yes
Accessories	Magnet / Screws / Battery 3x 1.5 V MICRO LR3 AAA

Certificates & standards

Standards	CE
Type of protection	IP54

© 2013, OSRAM GmbH. All rights reserved.

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321376596	Blister 1	121 mm x 34 mm x 185 mm	132.00 g	0.76 dm^3
4008321376602	Shipping carton box 6	155 mm x 143 mm x 195 mm	873.00 g	4.32 dm^3
4008321376619	Shipping carton box 48	325 mm x 242 mm x 405 mm	7624.00 g	31.85 dm^3

© 2013, OSRAM GmbH. All rights reserved.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2013, OSRAM GmbH. All rights reserved.